HERDA, Miroslav, inz.; JANUSKA, Frantisek, inz.

Technical and economic evaluation of the construction and operation of Czechoslovak coking plants. Hut listy 16 no.10:723-729 O '61.

1. Hutni projekt, Mistek.

L 00280-66   EWT(1)/EPF(n)-2/EED(b)-3/ETC(m)   IJP(c)   WW

ACCESSION NR: AP5023912   CZ/0039/64/025/009/0505/0508

AUTHOR: Januska, Ivo (Engineer, Candidate of sciences); Kolmer, Felix (Engineer, Candidate of sciences)

TITLE: Development of acoustics in Czechoslovakia during the five years of activities of the acoustics commission

SOURCE: Slaboproudy obzor, v. 25, no. 9, 1964, 505-508

TOPIC TAGS: acoustics, acoustic conference

ABSTRACT: A brief history is presented of the Acoustics Commission at the Czechoslavak Academy of Sciences. A survey is made of the main acoustic fields and problems studied during the past five years: physical acoustics, physiological and psychophysiological acoustics, space acoustics, construction acoustics, noise acoustics, ultrasonics, and acoustics of the language.

ASSOCIATION: Akusticka komise CSAV, Prague (Acoustics Commission CSAV)

Card 1/2

L 00280-66
ACCESSION NR: AP5023912

SUBMITTED: 23Mar64   ENCL: 00   SUB CODE: OP

NR REF SOV: 000   OTHER: 000   JPRS

Card 2/2

JANUSKA, J.; PELC, J.; STROBL, K.

A float air device with commanding attachement. Jeman mech. opt
6 no.12:376-379 D '61.

1. Somet n.p.

S/194/62/000/012/014/101
D201/D308

AUTHORS: Januška, Josef and Strobl, Květoslav

TITLE: A switch-operated pneumatic transducer for testing
                dimensions ·

PERIODICAL: Referativnyy zhurnal, Avtomatika i radioelektronika,
                no. 12, 1962, 25, abstract 12-2-50 d (Automatizace,
                v. 5, no. 4, 1962, 107-108 (Czech.))

TEXT: The displacement of the membrane of a differential manometer
is detected by a connecting rod which sequentially closes the con-
tacts of an 8-track switching spiral. The above contacts are con-
nected in the grid circuits of vacuum tubes, which conduct when
the corresponding contact is closed. The signal relays are in the
tube anode circuits. With sequential closing of contacts the anode
circuit of each preceding tube is opened by the contact of the
signal relay of the next tube. The anodes are connected to an a.c.
supply. To avoid bouncing the relay windings are shunted by con-
densers. Since the switching spiral current is limited to 0.1 mA,

Card 1/2

JANUSKA, Josef; PELC, Jaroslav; STROBL, Kvetoslav

A typified multidimensional hole checking equipment. Stroj vyr
10 no.7:349-351 '62.

1. Somet, n.p., Teplice.

DRAHNY, MILOS; JANUSKA, Karel; LEBL, Pavel; NOVAK, Stanislav; BARTL,
Josef; BOHAL, Ladislav; HAVLICEK, Rostislav; KORINEK,
Stanislav.

Optimization of parameters of a nuclear power station with
heterogeneous heavy water reactor on CO_2- cooled natural uranium.
Jaderna energie 10 no.7:254 Jl'64

1. Research Institute of Power Engineering, Prague (for Drahny,
Januska, Lebl, Novak, Bartl). 2. State Institute Energoprojekt,
Prague (for Bohal, Havlicek, Korinek).

JANUSKA, K.

Calculation of thermal cylces on automatic digital computers.
Bul EGU no. 2:28-31 '64.

BOHAL, Ladislav; DRAHNY, Miros; HAVLICEK, Rostislav; JANUSKA, Karel

Methods of optimalization of parameters of nuclear power plants
with heavy water gas-cooled reactors. Jaderna energie 10 no.12:
434-438 D '64.

1. State Design Institute Energoprojekt, Prague (for Bohal and
Havlicek). 2. Research Institute of Power Engineering, Prague
(for Drahny and Januska).

JANUSKIS, V.

[Along the roads of Southern Siberia] Pietu Sibiru. Vilnius,
Valstybine polit. ir mokslines lit-ros leidykla, 1963. 71 p.
[In Lithuanian]   (MIRA 18:1)

HORSKI-HORONCZYK, Stanislaw; JANUSZ, Antoni; KROLIKOWSKA, Wieslawa

A case of bilateral underdevelopment of the quadriceps femoris.
Neurol. neurochir. psychiat. pol. 12 no. 5:777-779 '62.

1. Z Kliniki Chorob Nerwowych AM w Lodzi Kierownik: prof. dr nauk
med. E. Herman.
(MUSCULAR DISEASES)   (THIGH)

JANUSZ, Andrzej, mgr.,inz.

Electric traction in the Krakow District Administration of
State Railroads. Przegl kolej elektrotechn 13 no.7:202-205
'61.

MURAWSKI, Wilhelm; JANUSZ, Jan

Increased productivity of a pug mill producing tile drains
of 100 mm diameter. Energetyka przem 10 no.3:105-106 '62.

1. Grudziadzkie Zaklady Ceramiki Budowlanej.

BADURA, Stanislaw, mgr inz.; FIRGANEK, Boleslaw, mgr inz.; JANUSZ,
   Jerzy, mgr inz.

   Surge bunkers at loading stations. Przegl gorn 20 no.10:
   496-501 O '64.

BADURA, Stanislaw, mgr inz.; FIRGANEK, Boleslaw, mgr inz.; JANUSZ, Jerzy,
        mgr inz.

        Interoperational storing bunkers for underground mine transport.
        Glow inst gorn prace no.352/360:259-267 '64.

        1. Central Mining Institute, Katowice.

BADURA, Stanislaw, mgr inz.; FIRGANEK, Boleslaw, mgr inz.; JANUSZ, Jerzy,
mgr inz.

Balancing containers in the main underground transport. Wiadom
gorn 16 no.3:84-88 Mr '65.

JANUSZ, MAJCHER

POLAND/Radio Physics - Radio Frequency Measurements

I-7

Abs Jour : Ref Zhur - Fizika, No 4, 1958, No 8967

Author   : Majcher Janusz
Inst   : Not Given
Title   : Modern Methods in Measurement of Time and Frequency

Orig Pub : Zesz. probl. nauki polsk., 1957, No 11, 166-176

Abstract : No abstract

Card   : 1/1

JANUSZ MAJ.

Application, Part 4. - Cellulose and Its
Derivatives, Paper.

Abs Jour   : Ref Zhur - Khimiya, No 14, 1958, 48975

Author   : Janusz Maj.
Inst   :
Title   : Birch Wood as Raw Material of Cellulose-Paper Industry.

Orig Pub   : Przegl. papiern., 1957, 13, No 5, 136-139

Abstract   : A review (structure, chemical composition, peculiarities
               of processing by the sulfite, sulfate and moist methods).
               Bibliography with 17 titles.

Card 1/1

JANUSZ, T.

"Coefficient of compactness." p. 45 (Przemysl Wlokienniczy, Vol. 7, No. 2, Feb. 1953, Lodz)

SO: Monthly List of East European Accessions, Library of Congress, Vol. 3, No. 6, June. 1954, Uncl.

JANUSZ, T.

2850.   USE OF POLYAMIDE FIBERS IN PRODUCTION OF CONVEYOR BELTS FOR
E.) THE (COAL) MINING INDUSTRY. Janusz, T.   (Inst. Inst. Chem. Fiber, Inst.
Textile, Warsaw, Pol.), v. ... (15), 6-13.

JANUSZ, T.

4003

677.474.772 : 622.647

Janusz T. Polyamide Fibres as Raw-Material for the Production of Conveyor Belts for the Mining Industry.

„Zastosowanie włókien poliamidowych do produkcji taśm transporterowych dla górnictwa". (Prace Inst. Włókien. No. 15), Warszawa, 1954, WPLiS. 6 pp., 4 figs., 5 tabs.

The paper describes a method of determining the technical properties of conveyor-belt fabrics on the polyamide-fibres basis. Formulae are given for planning conveyor-belt fabrics of a required toughness, together with a formula for calculating the tenacity-factor of the „Niles"-type hook-coupling, and calculations, and descriptions of laboratory samples of belt-fabrics and belts. On the basis of results of laboratory tests, a sample of the best variant of the fabric was produced on a semitechnical scale. The paper quotes conditions for, and a description of, production on a semitechnical scale, and results of tests of actual performance in coal-mines. Measurements and observations served as a basis for the descriptions.

JANUSZ, T.

Applying polyamide fibers to the production of dialytic textile fabrics,
Biuletyn Wlok.

p. 21
Vol. 8, no. 5, Sept./Oot. 1954
PRZEMYSL WLOKIENNICZY
Lodz

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 5, no. 2
Feb. 1956

JANUSZ, T.

A new textile fabric for the printing industry. Biuletyn Włok.

p. 21
Vol. 8, no. 5, Sept./Oct. 1954
PRZEMYSL WLOKIENNICZY
Lodz

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 5, no. 2
Feb. 1956

JANUSZ, T.

A new type of fabric for the rims of automobile tires. Biuletyn Wlok.

p. 12 (Przemysl Wloulienniczy. Vol. 10, no. 6, June 1956. Lodz, Poland)

Monthly Index of East European Accessions (EEAI) IC. Vol. 7, no. 2,
February 1958

Country   : POLAND   H
Category   : Chemical Technology. Chemical Products (Part 4).
              Artificial and Synthetic Fibers
Abs. Jour. : Ref Zhur-Khim, 1959, No 7, 25687

Author   : Janusz, T.
Institut.   : —
Title   : Fabrics from Viscose Fibers for Automobile Tires

Orig Pub.   : Przegl. wlokienn., 1958, 12, No 3, 129-136

Abstract   : No abstract.

Card: 1/1

SALAMON, Ferenc, inz.; JANUSZ, T. [translator]

Photometric measurements applied in kinematic and dynamic
testing of weaving machinery. Przegl wlokien 16
no.7/8:401-405 Jl-Ag '62.

1. Instytut Naukowo-Badawczy Przemyslu Wlokienniczego,
Budapest (for Salamon).

JANUSZ, Tomasz

Polyalcohol vinyl fibers and technology of their processing
by the cotton method. Przegl wlokien 16 no.9:458-460
S '62.

1. Instytut Wlokiennictwa, Lodz.

JANUSZ, Tomasz, Mgr. ing. (Lengyelorszag)

Processing of cotton-type polyvinylalcohol fibers. Magy
textil 15 no.5/6:241-243 My-Je '63.

JANUSZ, W.

Problem of work economy in adjusting geodetic networks by the method of indirect observation.

p. 192 (Prace Proceedings) Vol. 4, no. 2, 1957, Warszawa, Poland

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

JANUSZ, W.

Field examination of the construction of a straight-line and equilateral polygonal traverse and conclusions drawn from this examination.

p. 207 (Prace Proceedings) Vol. 4, no. 2, 1957, Warszawa, Poland

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

5303   526.913.1:619.281

Goździcki J., Janusz W.—Simultaneous Adjusting of Nodal Elements in Poligonal Nets.

„Jednoczesne wyrównanie azymutów i współrzędnych węzłowych w siatkach poligonowych". (Prace Inst. Geod. i Kartogr. No. 3), Warszawa, 1057, PPWK, 42 pp., 18 figs., tabs.

The adjustment of extensive polygon nets by the method of the least squares being very laborious, the approximating methods generally called "Methods of nodal points" are used. Not all known methods of nodal points are limited to this simplification: each of the nodal elements a, x, y is adjusted separately. This manner of dealing with them must necessarily lead to such an observation deformation as will prove excessive when a higher precision net is being adjusted. The paper discusses two methods of simultaneous adjusting of the nodal elements a, x, y. The observation functions adjusted by the first method are angles and lengths determined by the nodal element; and in the second — sums of angles and sums of co-ordinate increments (departure and latitude) calculated for individual polygons. Both these methods enable the adjustment of the net with the so called side connections (with additionally observed directions toward fixed points, from certain polygon points). The numerical examples given show results very close to those obtained by means of the least squares method.

JANUSZ, W.

Problem of a uniform instruction on technical traversing.

P. 95 (P.ACE, PROCEEDINGS) Poland, Vol 5, No. 1, 1057.

SO: Monthly Index of East European Acessions (AEEI) Vol. 6, No. 11, November 1957.

JANUSZ, W.
GAZDZICKI, J.

A comparison of approximate methods of adjusting polygon nets; based on a few
numerical examples. p. 87.

Warsaw. Instytut Geodezji i Kartografii. (PRACE. PROCEEDINGS. Warszawa, Poland
Vol. 6, no. 1, 1958.

Monthly List of East European Accessions Index (EEAI), LC, Vol. 8, No. 6, June 1959
Uncl.

JANUSZ, W.

SCIENCE

Periodicals: PRZEGLAD GEODEZYJNY. Vol. 14, no. 8, Aug. 1958.

JANUSZ, W. Determining the plotted location of points by means of the
          resection method. p. 316.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 4,
                                     April 1959, Unclass.

JANUSZ, W.

SCIENCE

Periodicals: PRZEGLAD GEODEZYJNY. Vol. 14, no. 8, Aug. 1958.

JANUSZ, W.   The problem of balancing and equalizing geodetic nets with
              a small number of surplus observations. p. 334.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 4,
                                              April 1959, Unclass.

S/035/62/000/011/066/079
A001/A101

AUTHOR: Janusz, Wojciech

TITLE: Methods of determining deviations of the theodolite rotation axis
              from the vertical direction at a station

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 11, 1962, 24,
              abstract 11G177 ("Prace Inst. geod. i kartogr.", 1962, v. 9, no. 1,
              33 - 75, Polish; Russian and English summaries)

TEXT: Deviations γ of the theodolite rotation axis from the vertical di-
rection can be determined by the following methods. 1) From readings z_i on the
vertical circle with the fixed telescope and superposed ends of the bubble of
the contact level of the vertical circle: $\gamma_i = \underline{U}\sin\beta_1 - \underline{V}\cos\beta_1$, where $\underline{U} =$
$= \gamma_{max}\cos\varphi$, $\underline{V} = \gamma_{max}\sin\beta$, $\varphi = \operatorname{arctg}\frac{\underline{V}}{\underline{U}}$ is the angle between the initial direction
β_0 on the horizontal plane and the line of its intersection with the plane in-
clined to the horizon at an angle γ_{max}, β_1 is horizontal trace of direction cor-
responding to the position of the telescope sighting axis (see Figure). The un-

Card 1/5

knowns $\underline{U}$ and $\underline{V}$ are determined from the solution of the system of error equations: $\underline{W} + \underline{U}\sin\beta_1 - \underline{V}\cos\beta_1 = z_1 - z_{av} + v_1$. Here $\underline{W} = \delta - z_0 - z_{av}$, where δ is angle between the telescope sighting axis and the theodolite rotation axis, z_0 is position of the vertical circle zero. The expression for the reduced direction β_{red} looks as follows: $\beta_{red} = \beta_{measur.} + tg\alpha(\underline{U}\cos\beta + \underline{V}\sin\beta)$, where α is inclination angle of the sighting line. This method can be used for determining differences in inclination of the theodolite rotation axis at its multiple setting in the station. 2) From readings l_i, p_i at the ends of the level bubble on the horizontal circle (main level): $-\gamma_1 = \dfrac{l_{iI}+p_{iI}+l_{iII}+p_{iII}}{4}$, where indices I and II indicate that readings were made at diametrally opposite positions of the level. Expressing γ_i in terms of $\underline{U}$ and $\underline{V}$: $\gamma_1 = \underline{U}\cos\beta_1 + \underline{V}\sin\beta_1$, we obtain the system of error equations $\underline{U}\cos\beta_1 + \underline{V}\sin\beta_1 = -\dfrac{l_{iI}+p_{iI}+l_{iII}+p_{iII}}{4} + v_i$, solution of which leads to determination of the unknowns $\underline{U}$ and $\underline{V}$. The mentioned method can be applied also for determination of inclination differences of the theodolite rotation axis at its repeated setting in the station. Consecutive settings of

Card 2/5

Methods of determining deviations of the...

rors of three theodolites whose main levels had different division values p (Wild T-3, p = 7"; Zeiss Theo 010, p = 20"; Zeiss ThII, p = 75"). They showed that deviation of the theodolite rotation axis from the vertical direction can be determined more precisely by using vertical circle readings, if natural oscil- lations of the axis are small. Moreover, it was established that leveling accu- racy of a theodolite depends mainly on the design of lifting screws. A formula is proposed for calculating the rms leveling error of a theodolite:

$$M_{lev} = \pm \sqrt{(0.2p)^2 + \left(\frac{s}{2\pi rd}\right)^2 \cdot \Delta l^2},$$

where s is thread pitch of the lifting screw, r is radius of the lifting screw head, d is distance between support points of two lifting screws, Δl is linear magnitude of a point shift along the circumference of the lifting screw head at its minimum rotation. At p = 20", s = 0.75 mm, r = 18 mm, d = 100 mm, $M_{lev} = \pm 8"$. There are 6 references.

N. Modrinskiy

[Abstracter's note: Complete translation]

Card 4/5

Methods of determining deviations of the...

Figure.

Card 5/5

S/035/62/000/010/091/128
A001/A101

AUTHOR: Janusz, Wajciech

TITLE: The problem of identification of constant points in control net-
            works for measuring deformations

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 10, 1962,
            16 - 17, abstract 10G83 ("Prace Inst. geod. i kartogr.", 1962,
            v. 9, no. 1, 76 - 86, Polish; Russian and English summaries)

TEXT: Calculations intended for identification of invariable marks and
determination of the magnitude and displacement direction of other marks are
usually carried out in the following sequence. All differences of directions in
the network, obtained in two successive measurements, are adjusted jointly;
simultaneously the components of displacements dx and dy of the marks are de-
termined, assuming two points to be invariable. If, as a result of adjustment,
all points are displaced by magnitudes exceeding limiting measurement errors,
this will indicate the mutual displacement of the points assumed to be constant.

Card 1/4

The problem of identification of...

In this case, two other points are selected as invariable and initially cal-
culated coordinates are correspondingly transformed. This procedure is re-
peated until two points are discovered which preserve invariable position.
Instead of the above-described labor-consuming method of successive approxi-
mations, the following method is recommended. When dx and dy obtained are
considerable, coefficients β_{1k} of the scale change of the network are calcu-
lated:

$$\beta_{1k} = - \frac{\triangle x_{1k}}{\triangle x_{1k}^2 + \triangle y_{1k}^2} \cdot (dx_k - dx_1) -$$

$$- \frac{\triangle y_{1k}}{\triangle x_{1k}^2 + \triangle y_{1k}^2} (dy_k - dy_1),$$

Card 2/4

where $\triangle x_{1k}$ and $\triangle y_{1k}$ are differences of point coordinates with numbers i and

k; dx_k, dy_k, dx_1, dy_1 are components of displacements of points with numbers

k and i, calculated from adjustment of direction differences. The total number

of necessary coefficients is equal to $\frac{(n-1)n}{2}$, where n is the number of net-

work points. Then points are sought for which are ends of sections with equal

values of coefficients β . Assuming these points as invariable, magnitudes and

directions of displacements of points, which changed their position, are cal-

culated by transforming dx and dy obtained from adjustment of corrections. When

displacements of points are insignificant, the values of coefficients β do not

permit a unique identification of points whose displacement is less than errors

of determination. Therefore, in every case it is necessary to see that the group

of points assumed to be invariable does not contain sections, β-coefficients

of which differ sharply from the others. With this purpose, β_{av} are calculated

for the given group of the points:

$$\beta_{av} = \frac{[p_1 \beta_1]}{[p_1]} , \quad \text{where} \quad p_1 = \frac{1}{m^2 \beta_1} = \frac{\triangle x^2 + \triangle y^2}{m_d^2} ,$$

Card 3/4

The problem of identification of...

and m_d is calculated for each section as the error of a function:

$$m_d = m_o \sqrt{f \; (a^2)^{-1} \cdot f} \qquad \text{Here } f = \begin{Bmatrix} -\cos\varphi \\ -\sin\varphi \\ \cos\varphi \\ \sin\varphi \end{Bmatrix}$$

$(a^2)^{-1}$ is the inverse cracowian of the cracowian of normal equation coefficient, φ is directional angle of the given section. Then rms error of one measurement is calculated:

$$M_\beta = \pm\sqrt{\frac{[(\sqrt{p_i} \cdot v\beta_i)^2]}{n-1}},$$

where $v \beta_1 = \beta_{av} - \beta_1$. The value of $M\beta$ should be close to unity.

[Abstracter's note: Complete translation]   N. Modrinskiy

Card 4/4

JANUSZ, Wojciech

Remarks on ways of setting regular surveying nets.
Przegl geod 35 no.1:10-13 Ja '63.

JANUSZ, Wojciech

Determining all the elements characteristic for the change in setting
a theodolite at an observation station. Prace Inst geod 8 no.2:166-183
'61.

(Theodolites)

JANUSZ, Wojciech

Contribution to the problem of investigating the stability of the
theodolite vertical axis. Prace Inst geod 9 no.2:156-162 '62.

JANUSZ, Wojciech

Experiments in elaborating methods of deformation measurements
of elongated structures by utilizing traverse and special
measuring instruments. Prace Inst geod 10 no.1:53-75 '63.

JANUSZ, Wojciech

Concept of simultaneously using the traverse and alignment
methods in the determination of deflections of long con-
structions. Prace inst geod 10 no. 2: 133-150 '63.

Determination of stadia constants for distance measurements
with high precision. Ibid.:151-164.

JANUSZKIEWICZ, Krzysztof, mgr inz.

Results of experiments in the use of accumulator heaters in Poland. Wiad elektrotechn 32 no. 1:5-7 Ja '64.

1. Katedra Grzejnictwa Elektrycznego, Politechnika, Lodz.

JANUSZ, Wojciech

Calculation methods of horizontal dislocations of the points
of geodetic networks according to observations made periodi-
cally. Przegl. geod. 36 no.2:49-56   F'64

1. Instytut Geodezji i Kartografii, Warszawa.

JANUSZ, Wojciech

Problem of automatic determination of structure deformatic
by a geodetic network model in the form of a permanent measuring
installation. Prace Inst ,eod 11 no.2:129-238 '04.

1, Submitted February 1964.

JANUSZ, Wojciech

An idea of two ways of increasing the accuracy of distance measurements performed with the diaphragm stadia by bisectional aiming. Przegl geod 37 no.3:100-103 Mr '65.

1. Institute of Surveying and Cartography, Warsaw.

3,5110

P/047/62/013/002/006/006
D204/D307

AUTHOR: Januszajtis, Andrzej (Gdańsk)

TITLE: Modern models of the atmosphere

PERIODICAL: Postępy fizyki, v. 13, no. 2, 1962, 207 - 224

TEXT: A review is given of the above subject, based on both Western and Soviet-bloc work, motivated by the development of flight at high altitudes. An atmospheric model is defined as a mathematical expression of the vertical distribution of atmospheric parameters. Pascal's fundamental relationships between pressure, density, temperature, chemical composition (molecular weight) and altitude are first quoted, followed by a summary of atmsopheric models due to Jeans, Gerson, U.S. Rocket Panel, Nicolet, Mitra, Kallmann (1956 and 1959), U.S. Air Research and Development Command, Sterne and Bates. The models are briefly compared, discussed and assessed in conjunction with data obtained from artificial satellites. Fluctuations of the density of the upper atmosphere are chiefly due to: 1) The W effect-heating of the F_2 layer by shortwave radiation from

Card 1/2

JANUSZAJTIS, Andrzej

Dependence of ionization current in saturated hydrocarbon
liquids on radiation energy. Acta physica Pol 24 no.6:809-
816 D '63.

1. II Department of Physics, Technical University, Gdansk.

JANUSZEWICZ, Halina; MITTELSTAEDT, Maurycy

Ancylostomiasis in a patient with gastrointestinal anastomosis.
Polski tygod. lek. 11 no.19:844-846 7 May 56.

1. Z Lecznicy Ministerstwa Zdrowia; kier.: prof. dr.
Mieczyslaw Fejgin. Warszawa, Lecznica Ministerstwa Zdrowia.
        (ANCYLOSTOMIASIS, case report
            (Pol))

Biosynthesis of dextran by strain I of *Leuconostoc mesenteroides*. Irena Januszewicz and Pawel Wichrzycki (CIPMS, Warsaw). *Prace Glownego Inst. Przem. Rol. spoz. i Spozywczego* 4, No. 8, 1-11 (1954).—In preliminary expts. the formation of dextran (I) by *Leuconostoc mesenteroides* was attempted in liquid nutrient media which contained the necessary inorg. salts and one of the following: arabinose, xylose, rhamnose, glucose, fructose, galactose, maltose, lactose, sucrose, (II), raffinose, mannitol, or sorbitol. Only II-contg. media furnished I. The best compn. for a II-contg. medium was detd. by changing the amts. and kinds of the inorg. components, with and without addn. of synthetic p-aminobenzoic acid or yeast autolysate (III). The medium finally adopted contained KH_2PO_4 0.1, $Na(NH_4)_2$ HPO_4 0.3, KCl 0.01, $MgSO_4$ 0.01, II 10.0%, with 0.23-0.5 III/l. In such a medium 25-26% of II was transformed into I over 8 days at 20-22°, pH 6.4 (adjusted with NaOH or HCl). Raising or lowering the pH caused a drop in the amt. of I produced as well as in the rate of formation; below pH 5.7 and above 7.2 I formation was nil. Raising the temp. to 29-30° caused a drop of I formation. After 8 days the biosynthesis became noticeably slower, after 16 days about 45% of II was transformed into I. Parallel with I formation was the formation of roughly the same amt. of reducing substance. If it is correct to assume that this is fructose, it means that only the glucose part of II is used for I formation.—Werner Jänicke

JANUSZEWICZ, I.

"Isolating a Strain from Leuconostoc Mesenteroides and Elaborating Conditions for the Biosynthesis of Dextran in a Laboratory."   p.36
(PRZEMYSL ROLNY I SPOZYWCZY Vol. 8, no. 1, Jan. 1954 Warszawa, Poland)

SO: Monthly List of East European Accessions, LC, Vol. 3, no. 5, May 1954/Uncl.

GANUSZEWICZ

, J.

POL.

3505

Januszewicz J. Lyophilisation of Strains of Aspergillus Niger.

663.11 : 576.8.085

"Liofilizacja szczepów grzyba Aspergillus niger". Przemysl Rolny
i Spożywczy. No. 11, 1954. pp. 407—410, 3 figs., 3 tabs.

CH

Thirteen different varieties of Aspergillus niger were lyophilized.
Immediately after regeneration all strains were revived, the yield of
citric acid . . . . . . increases as compared with the yield
prior to . . . . tures, the lyophilized cultures revealed
a sharp . . . . of the respective strains. The lyophilized cultu-
res were stored at various temperatures, . . . in the ice-box (from 0 °d
3° . . . . . . temperatures from 13 to 23°C) at thermostatic tempe-
ratures . . . . After 1 years in storage, no tendency was
observed . . . . ing capacity to produce citric acid.

Variations in dextran-synthesizing ability of Leuconostoc mesenteroides with the method of preservation of culture. I. Januszewicz (Inst. Przemyslu Rolnego, Warsaw). *Acta Microbiol. Polon.* 4, 205-17(1955).—A dextran-producing strain of *L. mesenteroides* (C.A. 49, 14092*i*), producing a yield of 35% based on sugar consumption, was lyophilized. A parallel culture was stored on agar and transferred to a new slant every 4-5 days. The transferred cultures retained their productivity for 4 months, at which time a sharp drop in dextran production took place. Adding a variety of vegetable exts. or *p*-aminobenzoic acid to the transfer media did not prevent this drop. Addn. of microelements and change of pH and temp. had no effect. The lyophilized culture retained its synthesizing ability during storage but lost it during subsequent transfers. The following modifications in the medium gave improved stability to the stored and transferred strains: 0.001% $MnCl_2.4H_2O$, 0.0005% $(NH_4)_6Mo_7O_{24}.4H_2O$ and 5 ml./l. autolyzed yeast in the agar medium. The dextran-producing medium should have 0.001% $MnCl_2.4H_2O$ and pH 6.5-6.6. All the dextran produced, no matter what the yield, had the same physico-chem. properties.

I. Z. Roberts

JANUSZEWICZ, I.; BRZOZOWSKA, M.; BLUM, M.

Isolating new types of Leuconostoc.

p. 304
Vol. 9, no. 7, July 1955
PRZEMYSL SPOZYWCZY
Warszawa

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 5, no. 2
Feb. 1956

JANUSZEWICZ, I.

Biosynthesis of dextran by various strains of Leuconostoc
mesenteroides. Acta microb. polon 5 no.1-2:217-224 1956.

1. Z Zakladu Technologii Fermentacji Przemyslowych Instytutu
Przemyslu Fermentacyjnego w Warszawie.
        (LEUCONOSTOC, metabolism
             mesenteroides, dextran synthesis by various strains (Pol))
        (DEXTRAN, metabolism,
             Leuconostoc mesenteroides, synthesis by various strains (Pol))

JANUSZEWICZ, I.

Effect of storage conditions on chages in the biochemical properties
of Leuconostoc mesenteroides. Acta Microb. polon. 6 no.4:367-376
1957

1. Z Zakladu Technologii Fermentacji Przemyslowych Instytutu Przemyslu
Fermentacyjnego w Warszawie. Wplynelo dnie 29 czerwca 1957 r.
        (LEUCONOSTOC, metabolism
            mesenteroides, eff. of storage cond. in laboratory on
            biochem. activities (Pol))

JANUSZEWICZ, I.

Effect of culture media on the activity of Leuconostoc mesente-
roides. Acta microb.polon. 9 no.4:359-366 '60.

1. Z Pracowni Mikrobiologii Technicznej Instytutu Przemyslu
Farmaceutycznego w Warszawie.
(LEUCONOSTOC culture)

ANUSZEWICZ, Irena (Warszawa); BRZOZOWSKA, Maria (Warszawa)

Use of a lactic acid solution for sterilizing malt germs, used
for milk fermentation. Przem spoz 15 no.10:35-38 '61.

JANUSZEWICZ, Irena, mgr.

Activities of the Industrial Microbiology Section of the Industrial Fermentation Institute. Przem spoz 16 no.1:61-64 '62.

1. Instytut Przemyslu Fermentacyjnego.

JANUSZEWICZ, J.

"Biology of lactic bacteria" by E.I. Kvasnikov, Reviewed by
J. Januszewicz. Przem spoz 15 no.9:64 '61.

JANKOWSKI, Wladyslaw, mgr., inz.; KUBICKI, Jerzy, mgr., inz.; JANUSZEWICZ, Krystyna, mgr., inz.; DOMANSKA, Hanna, mgr., inz.; SAWICKI, hipolit., mgr., inz.; GACIARZ, Kazimierz, mgr., inz.

A chemical combinate for Turkey. Architektura Pol no.10:384-385 '61.

JANUSZEWICZ, P.

Ring-Shaped Sections of Automobile Pistons Produced by Centrifugal Casting. (In Polish.) P. Januszewicz. Prace Badawcze Glownego Instytutu Metalurgii (Odlewnictwa), v. 1, no 3, 1949, p. 195-201.

Investigates difficulties of obtaining suitable structures of the above, especially difficulties concerning shape and suitable dimensions of the graphite. Experimental study confirmed the special applicability of centrifugal casting in chills insulated with a coating of casting sand 10-mm. thick, giving a dispersed lamellar graphite. Illustrated with numerous micrographs.

PIA

JANUSZEWICZ, P.

621.744.33

1122

Januszewicz P. Moulding Flask Economy.
„Gospodarka skrzynkami formierskimi". Przegląd Odlewnictwa.
No. 2, 1951, pp. 42—53, 24 figs.

Requirements with which moulding flasks should comply. Resistance to wear and rigidity. Accuracy. Various means of centreing Weight of moulding flasks. Preventing the moulding sand from dropping from the flask. Cost of flasks. Guide to moulding flask economy: storage, maintenance, repairs, checking and keeping a record of flasks.

JANUSZEWICZ, P.

PTA

4

1400   621.13 : 621-242.3

Januszewicz P. New Technical Acceptance Specifications for Loco-
motive Piston Ring Drums.

"Nowe warunki techniczne odbioru bębnów na parowozowe pier.
ścienie tłokowe i suwakowe". Przegląd Odlewnictwa No. 7—8, 1951,
pp 184—191, 7 figs., 1 tabs

Properties of piston rings Properties of cast-iron for piston rings
Modulus of elasticity. Elastic and permanent deformation Expansion
strength. A criticism of technical acceptance specifications hitherto
in use Design of new technical acceptance specifications Isoflexes
as the criterion of the quality of drums for locomotive piston rings

POL.

1260   621.742 : 621.744 : 620.749.7

Januszewicz P. Incorrect Mould and Core Production as the Cause of Casting Defects.

„Niewłaściwe wykonanie form i rdzeni jako przyczyna powstawania wad odlewów żeliwnych". Przegląd Odlewnictwa No. 8, 1954, pp. 30—39.

The author deals with the stages involved in the production of moulds and cores, and indicates irregularities which cause casting defects. The production of moulds and cores is divided into the following stages: production of the model and implements, stamping, selection of the casting method, reinforcement, ventilation, surface finish, drying, provision of the gate system, assembly and pouring. This work is a systematic analysis of technological processes from the point of view of casting defects.

JANUSZEWICZ, P.

Zeliwiak i jego prowadzenie (Cast iron and its use), by P.
Januszewicz. Reported in New Books, (Nowe Ksiazki), No. 6, March 15,
1956.

JANUSZEWICZ, P.

Development and achievements of the Foundry Research Institute and its future
opportunities. p. 3.
(INZYNIERIA I BUDOWNICTWO, Vol. 6, No. 1/2 1956, Warsaw, Poland)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 9, Sept. 1957, Uncl.

Distri 4E2c

eu1.746.7:069

Januszewicz P., Kalata Cz., Kobyliński S. Classification of Faults in Cast-Iron Castings, with Atlas.

„Systematyka wad odlewów żeliwnych z atlasem". Warszawa, 1966, PWT, 16°, 132 pp., figs., tabs.

Classification of faults appearing in grey and malleable cast iron castings; description of faults; classification of causes leading to appearance of faults; comparison of possible causes leading to appearance of particular kinds and varieties of faults; and an atlas of faults appearing in grey and malleable cast iron castings. Also included is information on how to use the book.

JANUSZEWICZ, P.; KOSTECKI, J.; WERTZ, Z.; LEWANDOWSKI, L.

"Non-metallic mineral raw materials in the foundry industry"
by P.Januszewicz, J.Kostecki and Z.Wertz. Reviewed by .
L. Lewandowski. Przegl odlew 11 no.12:374 '61.

JANUSZEWICZ, Platon; WILCZYNSKI, Przemyslaw

Diaphragm molding. Metal i odlew 38 no.8:43-59. '61.

1. Katedra Technologii Formy Akademii Gorniczo-Hutniczej, Zaklad
    Technologii Formy.

JANUSZEWICZ, Platon; STACHANCZYK, Jerzy

Determination of the parameters of preparing ethyl silicate affecting the properties of a mold prepared in the lost wax process. Prace inst odlew 12 no.1:1-15 '62 [publ. '63].

1. Zaklad Technologii Ogolnej, Instytut Odlewnictwa, Katowice.

JANUSZEWICZ, Platon, doc. mgr inz.; CZAJKA, Andrzej, inz.

Method of determination of the pliability of the sand mix.
Przegl odlew 12 no.8/9:237-246 Ag-S '62.

JANUSZEWICZ, P.

Professor Albert Portevin, 1880-1962. Przegl odlew 12
no.10:330 O '62.

JANUSZEWICZ, P.; HARPULA,J.

Effect of shell forms on the cooling velocity of cast iron.
Koh lap 95 no.3: Supplement:Ontodo 13 no.3:Mr '62.

JANUSZEWICZ, Platon, doc. mgr. inz.

The Foundry Institute in Krakow. Przegl mech 21 no.9/10:298-299.
10-25 My '62.

1. Instytut Odlewnictwa, Krakow.

JANUSZEWICZ, Wlodzimierz

ASKANAS, Zdzislaw; JANUSZEWICZ, Wlodzimierz; WALENTYNOWICZ-STANCZYK, Regina

Case of polyarteritis nodosa. Polski tygod. lek. 9 no.16:490-495
19 Apr 54.

1. Z II Kliniki Chorob Wewnetrznych A.M. w Warszawie, kierownik
prof. dr med. M.Semarau-Siemianowski i z Zakladu Anatomii Patolo-
gicznej A.M. w Warszawie, kierownik: prof. dr med. L.Paszkiewicz.
    (PERIARTERITIS NODOSA,
        case report)

JANUSZEWICZ, Wlodzimierz

Noradrenalin and its clinical application. Polski tygod.
lek. 11 no.15:663-668 9 Apr 56.

1. Z II Kl. Chor. Wewn. Akad. Med. w Warsz.; kier. prof. dr.
med. D. Aleksandrow. Warszawa, Kaliska 17 m 12.
(ARTERENOL,
review (Pol))

JANUSZEWICZ, W.

ALEKSANDROW, Dymitr; JANUSZEWICZ, W.; MAJEWSKA, O.

Clinic of dissecting aortic aneurysm on basis of personal
material. Polski tygod. lek. 12 no.1:8-13 1 Jan 57.

1. (Z II Kliniki Chorob Wewnetrznych A.M. w Warszawie;
kierownik: prof. dr. med. D Aleksandrow). Adres: II Klinika
Chorob Wewnetrznych A.M. w Warszawie, ul. Nowogrodzka 59.
    (AORTIC ANEURYSM
        dissecting, clin. manifest. & diag. (Pol))

JANUSZIEWICZ, W

WLODZIMIERZ JANUSZIEWICZ; DYMITR ALEKSANDROW; CZESLAW SZCZEPANSKI

Diagnosis and evaluation of postoperative results in a case of pheochromocytoma. Polski tygod. lek. 13 no.44:1727-1732 3 Nov 58.

1. (Z II Kliniki Chorob Wewnetrznych A. M. w Warszawie kierownik: prof. dr med. D. Aleksandrow) Adres: W-wa, ul. Nowogrodzka 59 II Klin. Chor. Wewn. A. M.
        (PHEOCHROMOCYTOMA, compl.
                hypertension, diag. & surg. (Pol))
        (HYPERTENSION, etiol. & pathogen.
                pheochromocytoma, diag. & surg. (Pol))

JANUSZEWICZ, Wlodzimierz; WOCIZL, Bozenna

Recent data on noradrenalin. Polskie arch. med. wewn. 29 no.7:
969-980 1959.

1. Z II Kliniki Chorob Wewnetrznych Akademii Medycznej w Warszawie
Kierownik: prof. dr med. D. Aleksandrow.
    (NOREPINEPHRINE)

JANUSZEWICZ, Wlodzimierz

Evaluation of the role of noradrenaline in the pathogenesis of hypertension with reference to the vascular crisis & to the syndrome of malignant hypertension. Polski tygod. lek. 14 no.21:945-952 25 May 59.

1. (Z II Kliniki Chorob Wewnetrznych Akademii Medycznej w Warszawie; kierownik: prof. dr med. D. Aleksandrow). Warszawa, Nowogrodzka 59, II Klinika Chorob Wewnetrznych AM.
        (ARTERENOL, in urine
            in hypertension, clin. value (Pol))
        (HYPERTENSION, urine in
            arterenol, clin. value (Pol))

ALEKSANDROW, Dymitr; JANUSZEWICZ, Wlodzimierz; WOCIAL, Bozena

Effect of guanethidine on the excretion of free noradrenalin in urine.
Pol. tyg. lek. 17 no.6:201-206 5 F '62.

1. Z II Kliniki Chorob Wewnetrznych AM w Warszawie; kierownik: prof.
dr med. D. Aleksandrow.

(NOREPINEPHRINE urine)
(ANTIHYPERTENSIVE AGENTS pharmacol)
(AMIDINES pharmacol)

JANUSZEWICZ, Wlodzimierz; WOCIAL, Bozenna

Effect of hypotensive drugs (serpasil, diuril) on the urinary excretion
of free noradrenalin. Pol. tyg. lek. 17 no.7:246-249 12 F '62.

1. Z II Kliniki Chorob Wewnetrznych AM w Warszawie; kierownik: prof.
dr med. D. Aleksandrow.

(RESERPINE pharmacol)   (CHLOROTHIAZIDE pharmacol)

ALEKSANDROW, Dymitr; JANUSZEWICZ, Wlodzmierz; WOCIAL, Bozena

Guides for the diagnosis of pheochromocytoma according to our
observations. Pol. tyg. lek. 17 no.34:1333-1338 20 Ag '62.

1. Z II Kliniki Chorob Wewnetrznych AM w Warszawie; kierownik: prof.
dr med. D. Aleksandrow.
                        (PHEOCHROMOCYTOMA)

JANUSZEWICZ, Wlodzimierz; WOCIAL, Bozena

Evaluation of the determination of total methoxynoradrenalin and
methoxyadrenalin in the urine in the diagnosis of cases of hypertension
caused by pheochromocytoma. Pol. arch. med. wewn. 32 no.12:1533-1541
'62.

1. Z II Kliniki Chorob Wewnetrznych AM w Warszawie Kierownik: prof. dr
med. D. Aleksandrow.
        (EPINEPHRINE)   (NOREPINEPHRINE)   (PHEOCHROMOCYTOMA)
                            (HYPERTENSION)

JANUSZEWICZ, Wlodzimierz; WOCIAL, Bozena

Current views on noradrenalin. Pol. arch. med. wewnet. 35 no.9:
1371-1377 '65.

1. Z II Kliniki Chorob Wewnetrznych Akademii Medycznej w Warszawie
(p.o.Kierownik: doc. dr. med. W. Januszewicz).

ZACHAREWICZ, Witold; BOROWIECKI, Lucjan; JANUSZEWSKA, Barbara

On a new photocatalytic method of obtaining d-carene-3-al-7.
Rocz chemii 36 no.1:173-174 '62.

1. Katedra Chemii Organicznej, Uniwersytet M.Kopernika, Torun.

JANUSZEWSKA, Hanna, mgr.; TOMASZEWSKI, Wladyslaw, inz.

Relationship between the abrasiveness of building materials on
Böhme's disc with the use of abrasive dust Naxos 80 and aloxite
dust B No. 80. Przegl budowl i bud mieszk 34 no.4/5:294
Ap-My '62.

BOROWICZOWA, K. ; JANUSZEWSKA, W.; WOJACZYNSKA-SZADOWSKA, A.

Malignant neoplasm of the right orbit in an infant. Pat.polska
11 no.3:293-300 '60.

1. Z I Kliniki Chorob Dzieci AM w Lodzi, Kierownik: prof.dr
E.Wilkoszewski. Z Zakladu Anatomii Patologicznej AM w Lodzi,
Kierownik: prof.dr A. Pruszczynski.
                (ORBIT neopl)

JANUSZEWSKA, W.

Incidence of congenital harelip and cleft-palate in children at
Lodz. Acta chir. plast. 4 no.4:262-266 '62.

1. Clinic of Maxillo-facial Surgery, Medical Academy of Lodz (Poland)
Director: Doc. J. Bardach, M.D.
              (HARELIP)   (CLEFT PALATE)

FILIPIAK-MIASTKOWSKA, Irmina; JANUSZEWSKA, Waleria

Spongy kidney or cystic degeneration of renal pyramids. Pediat. pol.
37 no.6:631-634 Je '62.

1. Z I Kliniki Chorob Dzieci AM w Lodzi Kierownik Katedry: prof. dr med.
Fr. Redlich Kierownik I Kliniki: doc. dr med. K. Scroczynski i z Katedry
Radiologii AM w Lodzi.
(KIDNEY DISEASES in inf & child)

BARDACH, Janusz; JANISZEWSKA, Waleria; PARTYKA, Wiesława;
        GÓRKA, Jadwiga

Activities of the center for the treatment of developmental
defects of the face during the period of Jan. 1, 1962 --
July 1, 1964. Czas. stomat. 18 no.8/9:927-930 Ag-S '65.

1. Z Osrodka Leczenia Wad Rozwojowych Twarzy przy Klinice
Chirurgii Szczekowo-Twarzowej AM w Lodzi (Kierownik: prof.
dr. med. J. Bardach).

JANUSZEWSKA, Waleria

Preparation of the child with cleft lip and palate for surgery.
Czas. stomat. 18 no.8/9:931-934 Ag-S '65.

1. Z Osrodka Leczenia Wad Rozwojowych Twarzy przy Klinice
Chirurgii Szczekowo-Twarzowej AM w Lodzi (Kierownik: prof.
dr. med. J. Bardach).